eDown & eDown II









(B) eDown II

	Dimensions	Weight	Enclosure Material	Wireless Frequency
(A) (B)	W 12" x H 93" W 11"x H 93"	< 9 lbs. < 7 lbs.	Powder Coated Aluminum and Smoked Lexan	n/a
	Display Height	Digit Colors	Electrical	Caption Height
(A) (B)	15" Digits 12" Digits	Red	12 VDC 5 VDC	n/a

Data for eDown

- 15" super bright red LED digit
- "Sponsor" advertising space (to offset cost of purchase)
- One-button operation
- Lightweight—less than 9 lbs.
- Rechargeable NiMH battery pack (located in pole)
- Weatherproof design for all playing conditions
- Lexan enclosure is practically indestructible
- 8+ hours of operation on a single charge
- LED battery charge indicator
- "Smart" battery charger included (will not overcharge battery)
- Extra poles with battery packs available (for extended playing times)

Data for eDown II

- 12" super bright red LED digit
- "Sponsor" advertising space (to offset cost of purchase)
- One-button operation
- Lightweight—less than 7 lbs.
- Rechargeable Li-Ion battery pack (located in head assembly)
- Weatherproof design for all playing conditions
- Lexan enclosure is practically indestructible
- 8+ hours of operation on a single charge
- LCD battery charge indicator
- 6' USB-to-micro-USB charging cable included (will not overcharge battery)



Mailing Address: 23859 KZ Pkwy #1 Greenwood, NE 68366

Wireless 25/40 Second Play Clock











(A) 30" Digit Model

Ready for High School, College & Pro Operation

	Dimensions	Weight	Enclosure Material	Wireless Frequency
(A)	W 44.5" x H 38.25"	66 lbs	Powder Coated	2.4 GHZ with over half-mile
(B)	W 32.5" x H 29.5"	40 lbs	Aluminum and Smoked Plexiglas	LOS range when using our LCD touch screen controller
	Display Height	Digit Colors	Electrical	Caption Height

Features

- Weatherproof design for years of trouble-free operation
- Flexible power requirements 120VAC or 12VDC operation
- 21" and 30" red LED displays with extremely wide viewing angle
- Displays are easy to read from 100+ yards away, even in bright sunlight
- Permanent or mobile stands available for both stadium and practice field locations
- Stands available with advertising space to generate revenue from sponsors
- Two year warranty & easily field-replaceable components
- Also operates as a practice timer (displays "segment" only)
- Loud auxillary horn available (plugs into waterproof connector located on back of clock)
- Can be controlled on field or from press box

Options for Mounting

Fixed

"T" Post

Wall-Mount / Tower Bracket
Both drawings available for local fabrication

Mobile

Trailer with Solar Panel & Battery Field Trailer, 12" Pneumatic Tires Dolly, 6" Casters

Panels

Advertising Panels for Sponsorship income

Power

AC Operation

- 5 amps max at 120 VAC
- Separate 20 amp circuit recommended
- Provided with flex conduit and 14 AWG, 3 conductor cables for permanent installation

DC Operation

- Operates on 12v deep cycle battery (Walmart model #27DC recommended)
- Plug-in 12 volt, 8 amp battery charger included
- Solar panel can be added as a battery charger on trailer



Phone: 866.612.3193
Text: 402.235.6390

Email: Sales@sidelinepower.com Fax: 402.235.6391 Mailing Address: 23859 KZ Pkwy #1 Greenwood, NE 68366

Wireless Practice Timer





- 24 Segment
- 5 min. per Segment





(B) 21" Digit Mode

- 2-Minute Drill
- 40-sec. Play Clock
- 2-min. Game Clock





	Dimensions	Weight	Enclosure Material	Wireless Frequency
(A) (B)	W 44.5" x H 38.25" W 68.5" x H 53"	66 lbs 121 lbs	Powder Coated Aluminum and Smoked Plexiglas	2.4 GHZ with over half-mile LOS range when using our LCD touch screen controller
	Display Height	Digit Colors	Electrical	Caption Height
(A) (B)	13" Digits 21" Digits	Red (Time) Amber LEDS (Segment)	120VAC or 12VDC	n/a

Features

- Weatherproof design for years of trouble-free operation
- Flexible power requirements 120VAC or 12VDC operation
- 13" or 21" red LED displays with extremely wide viewing angle
- Displays are easy to read from 100+ yards away, even in bright sunlight
- Permanent or mobile stands available for both stadium and practice field locations
- Stands available with advertising space to generate revenue from sponsors
- Two year warranty & easily field-replaceable components
- Can store numerous custom practices with unique names
- Up to 99 segments per practice (programmable)
- Loud horn sounds off at beginning or end of segment (programmable)

Options for Mounting

Fixed

"T" Post

Wall-Mount / Tower Bracket
Both drawings available for local fabrication

Mobile

Trailer with Solar Panel & Battery Field Trailer, 12" Pneumatic Tires Dolly, 6" Casters

Panels

Advertising Panels for Sponsorship income

Power

AC Operation

- 5 amps max at 120 VAC
- Separate 20 amp circuit recommended
- Provided with flex conduit and 14 AWG, 3 conductor cables for permanent installation

DC Operation

- Operates on 12v deep cycle battery (Walmart model #27DC recommended)
- Plug-in 12 volt, 8 amp battery charger included
- Solar panel can be added as a battery charger on trailer



Phone: 866.612.3193
Text: 402.235.6390

Email: Sales@sidelinepower.com

Fax: 402.235.6391

Mailing Address: 23859 KZ Pkwy #1 Greenwood, NE 68366

Wireless Scoreboard (Multi-Sport)







SIDELINE

(A) 13" Digit Model

(B) 8" Digit Model

	Dimensions	Weight	Enclosure Material	Wireless Frequency
(A) (B)	W 79"x H 47" W 44.5"x H 38.25"	122 lbs 68 lbs	Powder Coated Aluminum and Smoked Plexiglas	2.4 GHZ with over half-mile LOS range when using our LCD touch screen controller
	Display Height	Digit Colors	Electrical	Caption Height
(A) (B)	13" Digits 8" Digits	Red and Amber LEDS	120VAC or 12VDC	6" 3.5"

Features

- Weatherproof design for years of trouble-free operation
- Virtually indestructible Lexan face panel (optional)
- Flexible and easy operation using our wireless LCD touch screen controller
- 8" or 13" red and amber LED displays with high visibility LEDs for a wide viewing angle (easily readable at 100+ yards away – even in bright sunshine)
- Available with permanent or mobile stands for stadium and practice field locations
- Designed and manufactured in the USA
- Two year warranty & easily field-replaceable components
- Also operates as a practice timer
- Loud horn(s) sound(s) off at end of period / segments
- One "hidden" digit in upper left-hand corner plus two of the "time" digits will be illuminated when operating in baseball/softball mode. (These three digits will be aligned with the "baseball/softball panel" shown.)

Options for Mounting

Fixed

"H" Post

Wall-Mount / Tower Bracket Both drawings available for local fabrication

Mobile

Trailer with Solar Panel & Battery

Panels

Advertising Panels for Sponsorship income Baseball/Softball Panels (Balls, Strikes, Outs)

Power

AC Operation

- 5 amps max at 120 VAC
- Separate 20 amp circuit recommended
- Provided with flex conduit and 14 AWG, 3 conductor cables for permanent installation

DC Operation

- Operates on 12v deep cycle battery (Walmart model #27DC recommended)
- Plug-in 12 volt, 8 amp battery charger included
- Solar panel can be added as a battery charger on trailer



Phone: 866.612.3193
Text: 402.235.6390

Email: Sales@sidelinepower.com

Fax: 402.235.6391

Mailing Address: 23859 KZ Pkwy #1 Greenwood, NE 68366

TV Timeout Countdown Clock









Ready for High School, College & Pro Operation

	Dimensions	Weight	Enclosure Material	Wireless Frequency
(A) (B)	W 37" x H 93.5" W 34"x H 92.5"	20 lbs. 15 lbs.	Powder Coated Aluminum and Smoked Lexan	n/a
	Display Height	Digit Colors	Electrical	Caption Height
(A)	15" Digits 12" Digits	Red	12 VDC 5 VDC	n/a

Data for 15" Digit Model

- 15" super bright red LED digits
- "Sponsor" advertising space (to offset cost of purchase)
- Simple programming with membrane switch pad
- Rechargeable NiMH battery pack (located in pole)
- Weatherproof design for all playing conditions
- Lexan enclosure is practically indestructible
- 2+ hours of operation on a single charge
- LED battery charge indicator
- "Smart" battery charger included (will not overcharge battery)
- Extra poles with battery packs available (for extended playing times)

Data for 12" Digit Model

- 12" super bright red LED digits
- "Sponsor" advertising space (to offset cost of purchase)
- Simple programming with membrane switch pad
- Rechargeable Li-Ion battery pack (located in head assembly)
- Weatherproof design for all playing conditions
- Lexan enclosure is practically indestructible
- 2+ hours of operation on a single charge
- LCD battery charge indicator
- 6' USB-to-micro-USB charging cable included (will not overcharge battery)



Mailing Address: 23859 KZ Pkwy #1 Greenwood, NE 68366